
UML Diagram for the DISMAN-SCRIPT-MIB (RFC 3165).
consistsOf ▶
◀ writtenIn
1
0..*
1
0..*
«smi mib class»
smLangEntry
-smLangIndex: Integer32 {index}
+smLangLanguage: ObjectIdentifier
+smLangVersion: SnmpAdminString
+smLangVendor: ObjectIdentifier
+smLangRevision: SnmpAdminString
+smLangDescr: SnmpAdminString
«smi mib class»
smScriptEntry
-smScriptOwner: SnmpAdminString {index}
-smScriptName: SnmpAdminString {index}
+smScriptDescr: SnmpAdminString
+smScriptLanguage: Integer32
+smScriptSource: DisplayString
+smScriptAdminStatus: Enumeration
+smScriptOperStatus: Enumeration
+smScriptStorageType: StorageType
+smScriptRowStatus: RowStatus
+smScriptError: SnmpAdminString
+smScriptLastChange: DateAndTime
«smi mib class»
smCodeEntry
-smScriptOwner: SnmpAdminString {index}
-smScriptName: SnmpAdminString {index}
-smCodeIndex: Unsigned32 {index}
+smCodeText: OctetString
+smCodeRowStatus: RowStatus
1
supports ▶
0..*
associateWith ▶
1
0..*
◀ startedFrom
0..*
«smi mib class»
smExtsnEntry
-smLangIndex: Integer32 {index}
-smExtsnIndex: Integer32 {index}
+smExtsnExtension: ObjectIdentifier
+smExtsnVersion: SnmpAdminString
+smExtsnVendor: ObjectIdentifier
+smExtsnRevision: SnmpAdminString
+smExtsnDescr: SnmpAdminString
«smi mib class»
smLaunchEntry
-smLaunchOwner: SnmpAdminString {index}
-smLaunchName: SnmpAdminString {index}
+smLaunchScriptOwner: SnmpAdminString
+smLaunchScriptName: SnmpAdminString
+smLaunchArgument: OctetString
+smLaunchMaxRunning: Unsigned32
+smLaunchMaxCompleted: Unsigned32
+smLaunchLifeTime: TimeInterval
+smLaunchExpireTime: TimeInterval
+smLaunchStart: Integer32
+smLaunchControl: Enumeration
+smLaunchAdminStatus: Enumeration
+smLaunchOperStatus: Enumeration
+smLaunchRunIndexNext: Integer32
+smLaunchStorageType: StorageType
+smLaunchRowStatus: RowStatus
+smLaunchError: SnmpAdminString
+smLaunchLastChange: DateAndTime
+smLaunchRowExpireTime: TimeInterval
«smi mib class»
smRunEntry
-smLaunchOwner: SnmpAdminString {index}
-smLaunchName: SnmpAdminString {index}
-smRunIndex: Integer32 {index}
+smRunArgument: OctetString
+smRunStartTime: DateAndTime
+smRunEndTime: DateAndTime
+smRunLifeTime: TimeInterval
+smRunExpireTime: TimeInterval
+smRunExitCode: Enumeration
+smRunResult: OctetString
+smRunControl: Enumeration
+smRunState: Enumeration
+smRunError: SnmpAdminString
+smRunResultTime: DateAndTime
+smRunErrorTime: DateAndTime
-smScriptAbort(smRunExitCode,smRunEndTime,smRunError)
-smScriptResult(smScriptResult)
-smScriptException(smRunError)