Algorithms Division TU Braunschweig

Winter 2020

Prof. Dr. Sándor Fekete Christian Rieck

Question Sheet Quiz 7 for Jan 12, 2021 The code is 64 70 06 3

Which is the correct answer?

Question 1:

What is the running time of Fortune's algorithm?

- *O*(1)
- *O*(*n*)
- $O(n \log n)$
- $O(n^2)$

Question 2:

During Fortune's algorithm, what separates the part of the plane for which the Voronoi diagram is known from the part that may still change?

- The sweep line
- A bisector
- The beach line

Question 3:

The beach line consists of...

- \bullet ... at most n bisectors.
- ... at most 2n-1 bisectors.
- ... at most n-1 parabolic arcs.
- \bullet ... at most n parabolic arcs.
- ... at most 2n-1 parabolic arcs.

Question 4:

The continuous sweep can be discretized by keeping track of....

- ... site events.
- ... circle events.
- ... both.

Question 5:

What can be said about the correspondence between creating parabolic arcs in the beach line and events?

- Parabolic arcs can be created both at circle and site events.
- Parabolic arcs are only created at site events.
- Parabolic arcs are only created at circle events.

Question 6:

What can be said about the correspondence between disappearing parabolic arcs from the beach line and events?

- Parabolic arcs can disappear both at circle and site events.
- Parabolic arcs only disappear at site events.
- Parabolic arcs only disappear at circle events.

Question 7:

What is critical for achieving optimal running time for Fortune's algorithm?

- Choosing a fast sorting algorithm.
- Using a balanced binary tree for keeping track of objects and events.
- Updating only a constant number of events when the beach front changes.
- Both the second and the third option.
- The first, second and third option.

Question 8:

A higher-dimensional interpretation of a complete run of Fortune's algorithm uses

- 2D
- 3D
- 4D
- 5D