




Technische
Universität
Braunschweig



Institut für Betriebssysteme
und Rechnerverbund
Algorithmik

Mathematical Methods of Algorithmics

Tutorial 01 — Examples, Modeling & Solving in Practice

Board: Example Simplex with Dictionaries

$$\max 6x_1 + 8x_2 + 5x_3 + 9x_4$$

$$\text{s.t. } 2x_1 + x_2 + x_3 + 3x_4 \leq 5$$

$$x_1 + 3x_2 + x_3 + 2x_4 \leq 3$$

$$x_1, x_2, x_3, x_4 \geq 0$$

Idea of Modeling

- We can solve LPs, so if we can model problem A as LP, we can solve A
- Model: Efficiently turn concrete problem instance into concrete LP
- The solution of that LP should give us the solution to A
- Similar to reductions from complexity theory

Solving LPs

- How can we solve LPs in practice?

Maximum Network Flow

Given: directed graph $G = (V, E)$ with edges with capacities $c(e) \in \mathbb{R}_{\geq 0}$

- See board for an example
- For example, think about pipelines, or cars on roads or ships on rivers

Desired:

- Flow $f(e)$ from source $s \in V$ to sink $t \in V$, $0 \leq f(e) \leq c(e)$ for all edges
- Except for source & sink: Flow conservation — what comes in must go out
- Maximize the flow value, i.e., the value flowing into the sink

Model (encode this problem) as LP!

Variables:

- x_{vw} , flow value on edge $vw \in E$

Objective: $\max \sum_{vt \in E} x_{vt} - \sum_{tv \in E} x_{tv}$

Constraints:

Flow value on each edge: $\forall vw \in E : 0 \leq x_{vw} \leq c(vw)$

Flow conservation: $\forall v \in V \setminus \{s, t\} : \sum_{vw \in E} x_{vw} = \sum_{wv \in E} x_{wv}$

Vertex Capacities:

- At most $c(v)$ incoming flow into $v \in V \setminus \{s, t\}$

Minimum Flow:

- Some edges with 'minimal' capacity

Minimum Cost Maximum Flow:

- It costs $w(e)f(e)$ units to ship $f(e)$ units along edge e
- Two-staged process: Find maximum flow first, minimize costs later!

Enables us to adapt our algorithm to new constraints quickly!

LP Solvers in Practice

Different solvers exist; differences in quality (performance) are quite drastic.

Commercial solvers:

- CPLEX
- Gurobi

Both are good, Gurobi tends to be a bit faster and is more actively developed.

Both have free academic licenses for students/researchers.

Open source toolkits:

- SCIP (tends to be the fastest open-source toolkit)
- COIN-OR (CLP, CBC)
- GLPK (GNU Linear Programming Kit)

All these toolkits can also handle Mixed Integer Linear Programs (Integrality Constraints).

Note: Those restrictions make the problem NP-hard and can make solving much slower.